

ROCKWOOD

52" *Versatile On-Ground Pool Systems*



ROCKWOOD 52"

The totally versatile pool system!

- Works in harmony with any landscape
- Perfect for sloped or flat ground installations
- Can be installed aboveground, partially in ground or totally in ground
- Installs easily in any soil condition

Built for long lasting beauty!

- Galvanized steel makes this pool the industry leader
- Designed to withstand winters harsh freezing and thawing
- Exterior finish can be customized by using aluminum, vinyl and wood siding
- Rockwood On-ground pool system offers endless days of fun with every pool

Rockwood's design features make our pools the most rugged on the market

- Our wall systems are 52" tall and made of 14 gauge Z700/G235 galvanized steel, so durable that we offer a limited lifetime warranty on the pool
- Durable polymer coping with UV inhibitors to withstand the exposure to the sun and provide lasting beauty
- Vinyl pool liners are formulated to prevent the growth of algae and protect against the damaging UV rays of the Sun



ROUND PERIMETER

| | |
|----------|--------|
| 15'..... | 47'1" |
| 18'..... | 56'7" |
| 21'..... | 66'0" |
| 24'..... | 75'5" |
| 27'..... | 84'10" |
| 30'..... | 94'3" |



OVAL PERIMETER

| | |
|---------------|-------|
| 12 x 18 | 50'0" |
| 12 x 24 | 62'0" |
| 12 x 28 | 70'0" |
| 14 x 28 | 72'0" |
| 15 x 30 | 77'2" |
| 17 x 30 | 80'0" |
| 17 x 32..... | 84'0" |
| 18 x 33..... | 86'6" |




KEY PERIMETER

| | |
|---------------|-------|
| 14 x 24 | 63'0" |
| 16 x 28 | 73'6" |
| 18 x 30 | 79'0" |



KIDNEY PERIMETER

| | |
|---------------|-------|
| 12 x 22 | 59'0" |
| 14 x 28 | 72'0" |
| 16 x 32 | 84'0" |



Enhance your pool with these additional options.



Special coping suitable for easy winterizing with the "fitted winter cover."



AG Ladder: strong, stable and the most versatile above-ground pool ladder ever offered.



Available with the 48" curved step.



Feet First

Packaged in each liner carton are "No Diving" labels; an owner's manual containing the current Association of Pool and Spa Professionals safety standards; maintenance and operating information; the APSP publication, a warranty card; and a weather resistant sign to be posted near your pool. "No Diving" signage must be installed on the coping around the perimeter of your pool. "Caution" signage also must be affixed to the steps. **KEEP YOUR EYE ON THE CHILDREN.** Continually supervise the swimmers in your pool. **USE THE SAFETY ROPE.** The safety rope and floats should be attached at all times. Any use of diving boards, diving equipment or slides must be in strict compliance with the equipment manufacturer's specifications, the Association of Pool and Spa Professionals standards, and local building codes and regulations. We recommend removal of such items that do not comply. Consult your dealer for sizes and specifications. Liner patterns and colour depicted in this brochure are representative of the actual liner material; however, variations in colour and shading may occur.

NOTICE: The manufacturer, Latham Pool Products makes only those representations which are stated in its written warranty. Any other representations, statements, or contracts made by the dealer and/or the contractor to the customer regarding any materials produced by the manufacturer are attributable to the dealer and/or contractor only. The dealer or contractor who sells or installs your pool is an independent contractor and not an agent or employee of the manufacturer.

The specification and design are subject to change without notice. The manufacturer maintains a policy of continuous improvement and therefore reserves the right to change the specifications without notice. Not all features shown and or described are standard. Be sure features and equipment required are listed in the dealer's contracts.

Limited Lifetime Warranty



ROCKWOOD

787 Watervliet-Shaker Road, Latham, New York 12110 | 800-833-3800
383 Elgin Street, Brantford, ON N3S 7P5 | 800-638-7422